

Certificate of Analysis

Product: Brinzolamide micronized sterile-

Batch number:

Batch size: 4.55 Kg

Analysis number:

Quality standard: USP Current Edition

COPY QA APPROVED

28 GIU. 2021

CAS number: 138890-62-7

ICROM code: PF-0072

Manufacturing date: May 2021

Expiry date: May 2024

PARAMETERS	RESULTS	SPECIFICATIONS
Characters:		
Appearance	Complies	White to almost white crystalline powder
Identification:		
IR	Positive	Positive
HPLC	Positive	Positive
Tests:		
Loss on drying	0.2%	≤ 0.5%
Sulphated Ashes	< 0.1%	≤ 0.1%
Impurity A (HPLC)	< LOD (0.03%)	≤ 0.5%
Related substances (HPLC):		
impurity B	< 0.05%	≤ 0.3%
impurity C	< 0.05%	≤ 0.3%
impurity D	< 0.05%	≤ 0.3%
impurity E	< 0.05%	≤ 0.3%
any other unidentified impurity	0.05%	≤ 0.10%
total impurity	0.1%	≤ 1.0%
Assay:		
HPLC (dried substance)	101.2%	98.0% to 102.0%
Microbiological quality:	All the state of t	
Sterility	Sterile	Sterile
Physical characteristics:		The state of the s
Particle Size Distribution:	The state of the s	
PSD d ₅₀	2 μm	1 μm to 5 μm
PSD d ₉₀	4 μm	≤ 10 μm

Date: June 25, 2021

Chiara Ghinami ∠ Quality Control Manager

Quality Assurance Revision: Olor me Sanda 25 4

I declare that the product is manufactured in accordance with the guidelines on Good Manufacturing Practice for Active Substances

Qualified Person Release:

Midas Pharmaceuticals, Inc. 300 Interpace Parkway, Suite 420 Parsippany, NJ 07054-1100