LOWINOX® CA22 POWDER



VersionRevision Date:SDS Number:Country: US1.32022/03/25400000002397Language: Z8

SECTION 1. IDENTIFICATION

CAS-No. : 1843-03-4

Recommended use of the chemical and restrictions on use

Recommended use : Antioxidant

Restrictions on use : Reserved for industrial and professional use.

Manufacturer or supplier's details

Company: Supplier

SI Group USA (USAA), LLC 4 Mountainview Terrace

Suite 200 Danbury, CT

United States of America (USA)

06810

Emergency telephone

Emergency telephone: CHEMTREC/US: +1 703-741-5970

NCEC/ROW: +44 1235 239670 NCEC/CHINA: 400 120 6011

For additional emergency telephone numbers see section 16 of the

Safety Data Sheet.

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with 29 CFR 1910.1200

Skin sensitization : Sub-category 1B

Combustible dust

GHS label elements

Hazard pictograms :



LOWINOX® CA22 POWDER



Version 1.3

Revision Date: 2022/03/25

SDS Number: 40000002397

Country: US Language: Z8

Signal Word : Warning

Hazard Statements : H317 May cause an allergic skin reaction.

May form combustible dust concentrations in air.

Precautionary Statements : Prevention:

P261 Avoid breathing dust/ fume/ gas/ mist/ vapors/ spray.
P272 Contaminated work clothing should not be allowed out of

the workplace.

P280 Wear protective gloves.

Response:

P302 + P352 IF ON SKIN: Wash with plenty of soap and water. P333 + P313 If skin irritation or rash occurs: Get medical advice/

attention.

P363 Wash contaminated clothing before reuse.

Disposal:

P501 Dispose of contents/ container to an approved waste

disposal plant.

Other hazards

May form combustible dust concentrations in air.

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Substance

Substance name : 4,4',4"-(1-methylpropanyl-3-ylidene)tris[6-tert-butyl-m-cresol]

CAS-No. : 1843-03-4

Chemical nature : Hindered phenols

Hazardous ingredients
No hazardous ingredients

SECTION 4. FIRST AID MEASURES

If inhaled : Move to fresh air in case of accidental inhalation of dust or

fumes from overheating or combustion. If symptoms persist, call a physician.

LOWINOX® CA22 POWDER



Version Revision Date: SDS Number: Country: US 2022/03/25 400000002397 1.3 Language: Z8

In case of skin contact Take off contaminated clothing and shoes immediately.

> Wash off with soap and plenty of water. If symptoms persist, call a physician.

In case of eye contact Flush eyes with water as a precaution.

Remove contact lenses. Protect unharmed eye.

Keep eye wide open while rinsing.

If eye irritation persists, consult a specialist.

If swallowed Clean mouth with water and drink afterwards plenty of water.

Do not give milk or alcoholic beverages.

Never give anything by mouth to an unconscious person.

Obtain medical attention.

Most important symptoms and effects, both acute and

delayed

Product dust may be irritating to eyes, skin and respiratory

system.

sensitizing effects Allergic reactions

Notes to physician The first aid procedure should be established in consultation

with the doctor responsible for industrial medicine.

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media : Use extinguishing measures that are appropriate to local

circumstances and the surrounding environment.

Specific hazards during fire

fighting

Do not allow run-off from fire fighting to enter drains or water

courses.

Avoid generating dust; fine dust dispersed in air in sufficient concentrations, and in the presence of an ignition source is a

potential dust explosion hazard.

Further information Standard procedure for chemical fires.

for fire-fighters

Special protective equipment : In the event of fire, wear self-contained breathing apparatus.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Use personal protective equipment.

Dust deposits should not be allowed to accumulate on surfaces, as these may form an explosive mixture if they are released into the atmosphere in sufficient concentration. Avoid dispersal of dust in the air (i.e., clearing dust surfaces

with compressed air).

Non-sparking tools should be used. Use personal protective equipment.

Avoid dust formation. Avoid breathing dust.

Ensure adequate ventilation.

LOWINOX® CA22 POWDER



Version 1.3

Revision Date: 2022/03/25

SDS Number: 40000002397

Country: US Language: Z8

Environmental precautions

Try to prevent the material from entering drains or water

courses.

Methods and materials for containment and cleaning up

Pick up and arrange disposal without creating dust. Keep in suitable, closed containers for disposal.

SECTION 7. HANDLING AND STORAGE

Advice on protection against

fire and explosion

Avoid dust formation. Provide appropriate exhaust ventilation

at places where dust is formed.

Advice on safe handling : Minimize dust generation and accumulation.

Routine housekeeping should be instituted to ensure that

dusts do not accumulate on surfaces.

Dry powders can build static electricity charges when subjected to the friction of transfer and mixing operations.

Keep away from heat and sources of ignition.

For personal protection see section 8.

Persons with a history of skin sensitization problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is

being used.

Smoking, eating and drinking should be prohibited in the

application area.

Conditions for safe storage

Keep container tightly closed in a dry and well-ventilated

place.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Ingredients with workplace control parameters

Contains no substances with occupational exposure limit values.

Exposure controls

Engineering measures : It is recommended that all dust control equipment such as

local exhaust ventilation and material transport systems involved in handling of this product contain explosion relief vents or an explosion suppression system or an oxygen

deficient environment.

Ensure that dust-handling systems (such as exhaust ducts, dust collectors, vessels, and processing equipment) are designed in a manner to prevent the escape of dust into the work area (i.e., there is no leakage from the equipment). Good general ventilation (typically 10 air changes per hour)

LOWINOX® CA22 POWDER



Version 1.3

Revision Date: 2022/03/25

SDS Number: 40000002397

Country: US Language: Z8

should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Ensure adequate ventilation, especially in confined areas.

Dust formation may be relevant in the processing of this product. In addition to substance-specific OELs, general limitations of concentrations of particulates in the air at workplaces have to be considered in workplace risk assessment. Relevant limits include: OSHA PEL for Particulates Not Otherwise Regulated of 15 mg/m3 - total dust, 5 mg/m3 - respirable fraction; and ACGIH TWA for Particles (insoluble or poorly soluble) Not Otherwise Specified of 3 mg/m3 - respirable particles, 10 mg/m3 - inhalable particles.

Use mechanical ventilation for general area control.

Dust must be extracted directly at the point of origin.

Ensure that extracted air cannot be returned to the workplace through the ventilation system.

Personal protective equipment

Respiratory protection

In the case of dust or aerosol formation use respirator with an

approved filter.

Hand protection

Remarks : Polyvinyl alcohol or nitrile- butyl-rubber gloves Before

removing gloves clean them with soap and water.

Eye protection : Eye wash bottle with pure water

Tightly fitting safety goggles

Skin and body protection : Dust impervious protective suit

Choose body protection according to the amount and concentration of the dangerous substance at the work place.

Hygiene measures : Handle in accordance with good industrial hygiene and safety

practice.

When using do not eat or drink. When using do not smoke.

Wash hands before breaks and at the end of workday.

Environmental exposure controls

Water : Do not let product enter drains.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

LOWINOX® CA22 POWDER



Version Revision Date: SDS Number: Country: US 1.3 2022/03/25 400000002397 Language: Z8

Appearance : powder, solid

Color : white, to, light cream

Odor : slight, characteristic

Odor Threshold : No data available

pH : No data available

Melting point/range : 182 - 200 °C

Initial boiling point and boiling

range

No data available

Flash point : 107 °C

Evaporation rate : No data available

Flammability (solid, gas) : May form explosive dust-air mixture.

Upper explosion limit : No data available

Lower explosion limit : 30.000 mg/m3

Vapor pressure : No data available

Relative vapor density : No data available

Relative density : 1.08 (25 °C)

Density : No data available

Solubility(ies)

Water solubility : 0.01 g/l (20 °C)

Solubility in other solvents : soluble

Solvent: Diethyl ether

soluble

Solvent: Acetone

Partition coefficient: n-

octanol/water

No data available

Autoignition temperature : 360 °C

Decomposition temperature : No data available

Viscosity

Viscosity, dynamic : No data available

LOWINOX® CA22 POWDER



Version Revision Date: SDS Number: Country: US 1.3 2022/03/25 400000002397 Language: Z8

Viscosity, kinematic : No data available

Explosive properties : No data available

Oxidizing properties : No data available

Surface tension : No data available

Oxidizing potential : No data available

SECTION 10. STABILITY AND REACTIVITY

Reactivity : Stable under recommended storage conditions.

Chemical stability : No decomposition if stored and applied as directed.

Possibility of hazardous

reactions

Stable under recommended storage conditions.

No decomposition if used as directed.

Conditions to avoid : Heat, flames and sparks.

Incompatible materials : No data available

Hazardous decomposition

products

No hazardous decomposition products are known.

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Skin contact

Acute toxicity

Product:

Acute inhalation toxicity : Remarks: No data available

Acute dermal toxicity : Remarks: No data available

Skin corrosion/irritation

Product:

Remarks: The product is not considered as being a skin irritant.

Serious eye damage/eye irritation

Product:

Remarks: The product is not considered as being an eye irritant.

Respiratory or skin sensitization

LOWINOX® CA22 POWDER



Version Revision Date: SDS Number: Country: US 400000002397 Language: Z8

Product:

Germ cell mutagenicity

Product:

Genotoxicity in vitro : Remarks: No data available

Genotoxicity in vivo : Remarks: No data available

Germ cell mutagenicity -

Assessment

: No data available

Carcinogenicity

Product:

Remarks: This information is not available.

Carcinogenicity -

Assessment

: No data available

IARC No ingredient of this product present at levels greater than or

equal to 0.1% is identified as probable, possible or confirmed

human carcinogen by IARC.

OSHA No component of this product present at levels greater than or

equal to 0.1% is on OSHA's list of regulated carcinogens.

NTP No ingredient of this product present at levels greater than or

equal to 0.1% is identified as a known or anticipated carcinogen

by NTP.

Reproductive toxicity

Product:

Effects on fertility : Remarks: No data available

Effects on fetal development : Remarks: No data available

Reproductive toxicity -

Assessment

: No data available

Aspiration toxicity

Product:

No aspiration toxicity classification

Further information

Product:

Remarks: No data available

LOWINOX® CA22 POWDER



Version 1.3

Revision Date: 2022/03/25

SDS Number: 40000002397

Country: US Language: Z8

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Product:

Toxicity to fish : Remarks: No data is available on the product itself.

Toxicity to daphnia and other :

aquatic invertebrates

Remarks: No data is available on the product itself.

Toxicity to algae : Remarks: No data is available on the product itself.

Toxicity to microorganisms : Remarks: No data is available on the product itself.

Persistence and degradability

Product:

Biodegradability : Remarks: Not readily biodegradable.

Bioaccumulative potential

Product:

Bioaccumulation : Remarks: No data available

Mobility in soil

Product:

Stability in soil : Remarks: Adsorbs on soil.

Other adverse effects

Product:

Ozone-Depletion Potential : Regulation: 40 CFR Protection of Environment; Part 82

Protection of Stratospheric Ozone - CAA Section 602 Class I

Substances

Remarks: This product neither contains, nor was

manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A +

B).

Additional ecological

information

: There is no data available for this product.

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : Do not dispose of waste into sewer.

Do not contaminate ponds, waterways or ditches with

LOWINOX® CA22 POWDER



Version Revision Date: SDS Number: Country: US 1.3 2022/03/25 400000002397 Language: Z8

chemical or used container.

Offer surplus and non-recyclable solutions to a licensed

disposal company.

Contaminated packaging : Empty remaining contents.

Dispose of as unused product. Do not re-use empty containers.

SECTION 14. TRANSPORT INFORMATION

International Regulations

IATA-DGR

Not regulated as a dangerous good

IMDG-Code

Not regulated as a dangerous good

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Domestic regulation

49 CFR

Not regulated as a dangerous good

Special precautions for user

Not applicable

SECTION 15. REGULATORY INFORMATION

EPCRA - Emergency Planning and Community Right-to-Know

CERCLA Reportable Quantity

This material does not contain any components with a CERCLA RQ.

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 311/312 Hazards : No SARA Hazards

SARA 302 : No chemicals in this material are subject to the reporting

requirements of SARA Title III, Section 302.

SARA 313 : This material does not contain any chemical components with

known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

Clean Air Act

This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 112 (40 CFR 61).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

LOWINOX® CA22 POWDER



Version Revision Date: SDS Number: Country: US 1.3 2022/03/25 400000002397 Language: Z8

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 111 SOCMI Intermediate or Final VOC's (40 CFR 60.489).

Clean Water Act

This product does not contain any Hazardous Substances listed under the U.S. CleanWater Act, Section 311, Table 116.4A.

This product does not contain any Hazardous Chemicals listed under the U.S. CleanWater Act, Section 311, Table 117.3.

This product does not contain any toxic pollutants listed under the U.S. Clean Water Act Section 307

US State Regulations

Massachusetts Right To Know

No components are subject to the Massachusetts Right to Know Act.

Pennsylvania Right To Know

4,4',4"-(1-methylpropanyl-3-ylidene)tris[6-tert-butyl-m-cresol] 1843-03-4

New Jersey Right To Know

4,4',4"-(1-methylpropanyl-3-ylidene)tris[6-tert-butyl-m-cresol] 1843-03-4

California Prop 65

This product does not contain any chemicals known to the State of California to cause cancer, birth, or any other reproductive defects.

The ingredients of this product are reported in the following inventories:

DSL : All components of this product are on the Canadian DSL

AICS : On the inventory, or in compliance with the inventory

NZIoC : On the inventory, or in compliance with the inventory

ENCS : On the inventory, or in compliance with the inventory

ISHL : On the inventory, or in compliance with the inventory

KECI : On the inventory, or in compliance with the inventory

PICCS : On the inventory, or in compliance with the inventory

IECSC : On the inventory, or in compliance with the inventory

TCSI : On the inventory, or in compliance with the inventory

TSCA : On or in compliance with the active portion of the TSCA

inventory

TSCA list

No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification requirements.

LOWINOX® CA22 POWDER



Version Revision Date: SDS Number: Country: US 1.3 2022/03/25 400000002397 Language: Z8

SECTION 16. OTHER INFORMATION

Full text of other abbreviations

AICS - Australian Inventory of Chemical Substances; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response. Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN -Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL -Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS -Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS -Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx -Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA -International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO -International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO -International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified: NFPA - National Fire Protection Association: NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate: NTP - National Toxicology Program: NZIoC - New Zealand Inventory of Chemicals: OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

LOWINOX® CA22 POWDER



Version 1.3

Revision Date: 2022/03/25

SDS Number: 40000002397

Country: US Language: Z8

Further information

NFPA: HMIS® IV:

Flammability

Special hazard.

HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. The "*" represents a chronic hazard, while the "/" represents the absence of a chronic hazard.

Refer to NFPA 654, Standard for the Prevention of Fire and Dust Explosions from the Manufacturing, Processing, and Handling of Combustible Particulate Solids, for safe handling.

Revision Date : 2022/03/25

The information and recommendations contained in this safety data sheet are, to the best of SI Group's knowledge, belief and experience, accurate and reliable as of the date of its publication and describe the product only with regard to safety requirements. It is the user's responsibility to confirm that it is using the most current available version of this safety data sheet. The information and recommendations herein are offered for the user's consideration and examination. Identified uses in this safety data sheet do neither represent an agreement on the quality of the Product nor a designated use. For the avoidance of doubt, nothing herein shall be construed as relieving the user of its responsibility to ensure that the product is suitable for the intended use and that any proprietary rights, existing laws and legislation are observed. NO WARRANTIES OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, ARE MADE REGARDING THE PRODUCT DESCRIPTIONS. DATA OR INFORMATIN HEREIN. This safety data sheet is neither a Certificate of Analysis (CoA) nor a technical data sheet and shall not be mistaken for a description of the product's specifications. If user repackages this product, it is the user's responsibility to insure proper health, safety and other necessary information is included with and/or on the packaging. Appropriate warnings and safe-handling procedures should be provided to handlers and further users of the product. Alteration of this document is strictly prohibited. Except to the extent required by law, re-publication or retransmission of this document, in whole or in part, is not permitted.

US / Z8

Carechem24 International Worldwide Coverage

Emergency Phone Numbers:

Europe:	All European Countries	+44 (0) 1235 239 670
Asia Pacific:	East / South East Asia	Regional Number : +65 3158 1074

LOWINOX® CA22 POWDER



VersionRevision Date:SDS Number:Country: US1.32022/03/25400000002397Language: Z8

	Australia	+61 2801 44558
	New Zealand	+64 9929 1483
	China Taiwan	+86 10 5100 3039
	Japan	+81 345 789 341
	Indonesia	00780 3011 0293
	:Malaysia	+60 3 6207 4347
	Thailand	001800 1 2066 6751
	Korea	+65 3158 1285
	Vietnam	+65 3158 1255
	India	+65 3158 1198
	Pakistan	+65 3158 1329
	Philippines	+65 31581203
	Sri Lanka	+65 3158 1195
	Bangladesh	+65 3158 1200
Middle East / Africa:	Arabic speaking countries	+44 (0) 1235 239 671
	All other countries	+44 (0) 1235 239 670
<u>America</u>	United States / Canada	001866 928 0789
Latin America:	Brazil	+55 113 711 9144
	All other countries	+44 (0) 1235 239 670
	Mexico	+52 555 004 8763