

Lantic Inc.
4026, rue Notre-Dame Est
Montréal (Québec)
H1W 2K3

Certificate of Analysis

Phone : (514) 527-8686 #3453
Fax : (514) 527-0248
Contact : Coordonnatrice AQ / QA Coordinator
Email : coa@lantic.ca

Bill of lading :
Customer :
Address :
Ship-to Address :
Date Shipped : **22-Sep-2021**

Printed on : **21-Aug-2024 13:20**

Customer # :

Carrier # :

Trailer # :

COLLECT

This is to certify that the product below supplied by Lantic Inc. meets the following specifications :

Analysis

Product	Product #	Qty/Net W.	LOT	On US 20	On US 40	Thru US 80	ASH	COLOUR	MOIST	INVERT
Customer Product	Customer Product #	(un/kg)	Date	(%)	(%)	(%)	(%)	(I.U.)	(%)	(%)
<i>Specifications – (min/ max)</i>				<i>(0/2.0)</i>	<i>(25.0/70)</i>	<i>(0/12.0)</i>	<i>(0/0.015)</i>	<i>(0/45)</i>	<i>(0/0.04)</i>	<i>(0/0.025)</i>
SUGAR 1000kg FINE, I.B.C.	10010	11		0.6	38.2	2.2	0.011	39	0.02	0.012

20-Sep-2021 Shelf Life : 20-Sep-2024

This certificate of analysis is electronically generated. Please note that the results reported are based on average analyses over a 24 hour period or of the batch produced. There may be some minor differences between these results and the product received. Tests are completed according to ICUMSA methods where appropriate. White granulated sugar complies with the unified National Formulary (NF) / United States Pharmacopeia (USP) and the European Pharmacopeia (EP) standards for Sucrose. Compliance with these standards is validated at least annually by an independent source on random samples of our products.

Lantic Inc.
4026, rue Notre-Dame Est
Montréal (Québec)
H1W 2K3

Certificat d'analyses / Certificate of Analysis

Tél. / Phone : (514) 527-8686 #3453
Fax : (514) 527-0248
Contact : Coordonnatrice AQ / QA
Coordinator
Courriel / Email : coa@lantic.ca

Bon de connaissance / Bill of lading :
Client / Customer :
Adresse / Address :

Imprimé le / Printed on : 2021/08/12 17:51
du Client / Customer # :

Date d'expédition / Date Shipped : 2021/08/12

du transporteur / Carrier # :

*Ceci certifie que le produit ci-dessous fourni par Lantic Inc. répond entièrement aux spécifications suivantes :
This is to certify that the product below supplied by Lantic Inc. meets the following specifications :*

Bon de commande / P.O. number :

Analyses / Analysis

Produit / Product	# de Produit / Product #	Qté/P.Net	LOT	Re 20	Re 40	À Trav 80	CEND	COULEUR	HUMIDITÉ	INVERT
Produit du Client / Customer Product	# de Produit du Client / Customer Product #	Qty/Net W. (un/kg)	Date	On US 20 (%)	On US 40 (%)	Thru US 80 (%)	ASH (%)	COLOUR (I.U.)	MOIST (%)	INVERT (%)
SUCRE 1000kg FIN, CVI / SUGAR 1000kg FINE, I.B.C.	10010	3	2021/08/10	0.4	42	2.4	0.012	27	0.02	0.012

ANALYSEUR
2021/08/20
RÉVISEUR

Veuillez prendre note que ces résultats représentent une moyenne sur 24 heures. Il peut y avoir quelques différences mineures entre ces résultats et le produit reçu. Les analyses sont effectuées conformément aux méthodes de l'ICUMSA, selon le cas. Le % d'invert est analysé périodiquement sur le sucre granulé sur des lots aléatoires. Notre sucre granulé blanc est conforme aux normes harmonisées du 'National Formulary' (NF) et de la pharmacopée américaine (USP) ainsi qu'aux normes de la pharmacopée européenne (EP) visant le saccharose. La conformité à ces normes est validée deux fois par année par un tiers indépendant sur des échantillons aléatoires de nos produits. Ce certificat d'analyses est produit électroniquement.

ICUMSA (International Commission for Uniform Methods of Sugar Analysis) unités ICUMSA: (I.U.) ICUMSA units

Please note that these results are based on an average over 24 hours. There may be some minor differences between these results and the product received. Tests are completed according to ICUMSA methods where appropriate. The invert % is analyzed periodically on our granulated sugar on random lots. Our white granulated sugar complies with the unified National Formulary (NF) / United States Pharmacopeia (USP) and with the European Pharmacopeia (EP) standards for Sucrose. Compliance with these standards is validated twice a year by an independent source on random samples of our products. This certificate of analysis is electronically generated.