

SAFETY DATA SHEET

Revision date 2021-Jan-26

Revision number 1.03

1. IDENTIFICATION

Product identifier

Product name BISOMER[®] MPEG 350 MA

Other means of identification

Product code 556953
Synonyms None

Recommended use of the chemical and restrictions on use

Recommended use [RU] Monomer for special polymers
Uses advised against None known

Details of the supplier of the safety data sheet

Supplier GEO Specialty Chemicals, Inc.
300 Brookside Ave
Building #23, Suite 100
Ambler, PA 19002-3420
+1-888-519-3883
Hours: Monday-Friday 9:00-5:00 EST (Eastern Standard Time)

Manufacturer Address GEO Specialty Chemicals UK Ltd
Charleston Road, Hardley, Hythe
Southampton, Hampshire SO45 3ZG
United Kingdom
Phone: +44 (0)23 80894666
Fax No: +44 (0)23 80243113

Contact Point safety-data-sheet-fp@geosc.com

Emergency telephone number

24 Hour Emergency Phone Number CHEMTREC: (800) 424-9300
Outside USA - +1 (703) 527-3887 collect calls accepted

2. HAZARDS IDENTIFICATION

Classification

OSHA Regulatory Status

This chemical is not considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200).

Not a hazardous substance or mixture according to the Globally Harmonized System (GHS).

EMERGENCY OVERVIEW

While this material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200), this SDS contains valuable information critical to the safe handling and proper use of the product. This SDS should be retained and available for employees and other users of this product.

Physical state liquid	Color colorless	Appearance clear	Odor characteristic
---------------------------------	---------------------------	----------------------------	-------------------------------

GHS Label elements, including precautionary statements

Not a hazardous substance or mixture according to the Globally Harmonized System (GHS)

Other information

- Not applicable

3. COMPOSITION/INFORMATION ON INGREDIENTS

Component	CAS-No	weight-%	TRADE SECRET
Poly(ethylene glycol) methyl ether methacrylate	26915-72-0	> 99%	--
4-Methoxyphenol	150-76-5	>= 0.1 - < 1%	*

*The exact percentage (concentration) of composition has been withheld as a trade secret.

4. FIRST AID MEASURES

First Aid Measures

General advice

In case of adverse health effects seek medical advice.

Eye contact

Rinse immediately with plenty of running water (for 10 minutes). Seek medical attention if necessary.

Skin contact

If skin irritation occurs: Get medical advice/attention. Rinse with running water and soap.

Ingestion

Rinse mouth with water, then drink one or two glasses of water.

Inhalation

Remove to fresh air.

Most important symptoms and effects, both acute and delayed

Acute effects

None known.

Chronic effects

None known.

Indication of any immediate medical attention and special treatment needed

Note to physicians

Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Extinguishing media

Suitable extinguishing media

Water spray jet, Alcohol-resistant foam, Extinguishing powder, Carbon dioxide.

Extinguishing media which must not be used for safety reasons

High pressure waterjet.

Special hazards arising from the substance or mixture

Special Hazard

Formation of toxic gases is possible during heating or in fires. The product may undergo spontaneous polymerization at high temperatures. Polymerization is exothermic and may cause damage to the container and/or release of thermal decomposition products.

Advice for firefighters

Firefighting measures

Cool exposed containers with water spray after extinguishing fire.

Special protective equipment for firefighters

Full protective clothing and approved self-contained breathing apparatus required for firefighting personnel.

Explosion data

Sensitivity to Mechanical Impact

None.

Sensitivity to Static Discharge

None.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal precautions

Wear suitable protective clothing and gloves.

Environmental precautions

Environmental precautions

Do not empty into drains/surface water/ground water. Inform authorities in the event of product spillage to water courses or sewage systems.

Methods and material for containment and cleaning up

Methods for containment

Prevent further leakage or spillage if safe to do so.

Methods for cleaning up

Remove with liquid-absorbing material (sand, peat, sawdust). Dispose of contaminated material as waste according to Section 13.

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling

Ensure that eyewash stations and safety showers are close to the workstation location

Use only in well-ventilated areas

Conditions for safe storage, including any incompatibilities**Technical measures and storage conditions**

Store away from direct heat or sunlight.

Do not store together with reductants.

Store at temperatures not exceeding 25 °C/ 77 °F

Tanks should preferably contain no dead spaces where the product can be trapped and polymerize. Internal structural members should therefore be kept to a minimum and tanks should be welded.

Store in a dry place

The product is stabilized against spontaneous polymerization before delivery. However, if the permissible storage time or storage temperature are greatly exceeded the product may polymerize.

Keep only in the original container in a cool, well-ventilated place

Do not store together with oxidants.

Storage tank vents, especially those fitted with flame arrestors, should be inspected regularly for polymer fouling which can arise from vapor phase polymerization.

Incompatible products

Reaction with reducing agents. Reaction with oxidants.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION**Control parameters****Exposure Guidelines**

Component	weight-%	ACGIH TLV	OSHA PEL	NIOSH IDLH
4-Methoxyphenol 150-76-5	>= 0.1 - < 1%	5 mg/m ³ TWA	--	--

Appropriate engineering controls**Engineering controls**

Local exhaust ventilation as necessary to maintain exposures to within applicable limits. Please refer to the ACGIH document, "Industrial Ventilation, A Manual of Recommended Practices", most recent edition, for details. If there are no applicable or established exposure limit requirements or guidelines, general ventilation should be sufficient.

Individual protection measures, such as personal protective equipment**Eye/face Protection**

Tight sealing safety goggles.

Hand Protection

Polychloroprene gloves. Coating thickness 1.1 mm. Level 5 > 240 min breakthrough time.

Skin and body protection

Wear suitable protective clothing.

Respiratory protection

Filter A2 is recommended in cases of prolonged exposure. Use only in well-ventilated areas.

Other personal protection data

Eyewash fountains and safety showers must be easily accessible.

Hygiene measures

Handle in accordance with good industrial hygiene and safety practice.

9. PHYSICAL AND CHEMICAL PROPERTIES**Information on basic physical and chemical properties**

Physical state	liquid
Color	colorless
Appearance	clear
Odor	characteristic
Odor threshold	No information available

<u>Property</u>	<u>Values</u>	<u>Remarks / Method</u>
pH	No information available	No information available
Melting / freezing point	No information available	No information available
Boiling point / boiling range	No information available	No information available
Flash point	> 150.0 °C / > 302 °F	Pensky-Martens Closed Cup (PMCC)
Evaporation rate	No information available	No information available
Flammability (solid, gas)	No information available	No information available
Flammability Limit in Air	No information available	No information available
Upper flammability limit	No information available	No information available
Lower flammability limit	No information available	No information available
Vapor pressure	No information available	No information available
Vapor density	No information available	No information available
Specific gravity	No information available	No information available
Solubility (water)	490 g/L @ 50 °C	No information available
Solubility in other solvents	No information available	No information available
Partition coefficient: n-octanol/water	No information available	No information available
Autoignition temperature	No information available	No information available
Decomposition temperature	No information available	No information available
Kinematic viscosity	8.00 mm ² /s @ 50 °C	ASTM D 445-97
Dynamic viscosity	No information available	No information available

Other information

Density	1.0770 g/cm ³ - ASTM D 1298-99
Bulk Density	No information available
Explosive properties	Can polymerize violently
Oxidizing properties	The substance or mixture is not classified as oxidizing
Pour point	-10 °C
Softening point	No information available
Molecular weight	430 g/mol
Volatile Organic Compound (VOC) content, wt.%	No information available
Percent Volatile, wt.%	No information available

10. STABILITY AND REACTIVITY**Reactivity**

Reactivity

Polymerizes readily unless inhibited. Polymerization is highly exothermic and, if not controlled, may be violent.

Chemical stability**Chemical stability**

Periodic air sparging in storage will assist long term stability. Stable under normal conditions of handling, use and transportation.

Possibility of hazardous reactions**Possibility of hazardous reactions**

None under normal processing.

Hazardous polymerization

May occur if inhibitor is depleted or if exposed to high temperature.

Conditions to avoid**Conditions to avoid**

Avoid heating. If prolonged excursions above the recommended storage temperature occur, then the rate of inhibitor depletion could accelerate, leading to an increased risk of polymerization. In these circumstances it is recommended that the inhibitor level be checked periodically using ASTM procedure D 3125, and more inhibitor added if depletion is observed. This product contains a peroxidation inhibitor. To maintain inhibitor activity, oxygen must not be eliminated from the atmosphere above the product. Avoid radical forming substances (metal-ions, peroxides).

Incompatible materials**Materials to avoid**

Reaction with reducing agents. Reaction with oxidants.

Hazardous decomposition products**Hazardous decomposition products**

Carbon oxides. Irritating vapors.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure**Eye contact**

May cause slight irritation.

Skin contact

None to only slight irritation expected.

Ingestion

Low toxicity by this route.

Inhalation

None known.

Acute toxicity - Product Information

Oral LD50	> 2,000 mg/kg
Dermal LD50	No information available
Inhalation LC50	No information available

Information on toxicological effects**Symptoms**

No information available.

Delayed and immediate effects as well as chronic effects from short and long-term exposure**Skin corrosion/irritation**

Slightly irritating, does not require labelling

Method: OECD Test No. 404: Acute Dermal Irritation/Corrosion

Serious eye damage/eye irritation

May cause slight irritation

Method: OECD Test No. 405: Acute Eye Irritation/Corrosion

Sensitization

No information available

Germ cell mutagenicity

No information available

Carcinogenicity

This product does not contain any components in concentrations greater than or equal to 0.1% that are listed as known or suspected carcinogens by NTP, IARC, ACGIH, or OSHA.

Reproductive toxicity

No information available

Specific target organ toxicity - Single exposure

No information available.

Specific target organ toxicity - Repeated exposure

No information available

Aspiration hazard

No information available.

Other information

Conclusions are drawn from sources other than direct testing.

12. ECOLOGICAL INFORMATION**Ecotoxicity****Acute aquatic toxicity - Product Information**

Fish	No information available
Crustacea	No information available
Algae/aquatic plants	No information available

Persistence and degradability**Persistence and degradability**

No information available

Bioaccumulative potential

Bioaccumulative potential

No information available

Mobility**Mobility**

No information available

Results of PBT and vPvB assessment**PBT and vPvB assessment**

No information available

Other adverse effects**Other information**

No other ecological studies have been carried out on this product.

13. DISPOSAL CONSIDERATIONS**Waste treatment methods****Disposal of wastes**

Incineration recommended in approved incinerator according to Federal, state, and local regulations.

Contaminated packaging

Disposal must be made according to official regulations. Packaging that cannot be cleaned are to be disposed of in the same manner as the product.

14. TRANSPORT INFORMATION**DOT** Not regulated**ICAO/IATA** Not regulated**IMDG** Not regulated**15. REGULATORY INFORMATION****International Inventories****United States (TSCA)**

All ingredients are on the inventory or exempt from listing

Australia (AICS)

All ingredients are on the inventory or exempt from listing

Canada (DSL)

Some ingredients are not on the inventory.

Canada (NDSL)

Some ingredients are on the inventory.

China (IECSC)

All ingredients are on the inventory or exempt from listing

European Union (EINECS)

All ingredients are on the inventory or exempt from listing

European Union (ELINCS)

None of the ingredients are on the inventory.

Japan (ENCS)

All ingredients are on the inventory or exempt from listing

South Korea (KECL)

All ingredients are on the inventory or exempt from listing

Philippines (PICCS)

All ingredients are on the inventory or exempt from listing

Legend

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

AICS - Australian Inventory of Chemical Substances

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

IECSC - China Inventory of Existing Chemical Substances

EINECS/ELINCS - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

U.S. Federal Regulations**CERCLA**

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

Component	weight-%	SARA 313 - Threshold Values %
Poly(ethylene glycol) methyl ether methacrylate 26915-72-0	> 99%	1.0 % de minimis concentration (applies to R-(OCH ₂ CH ₂) _n -OR', where n = 1, 2, or 3, R=Alkyl C7 or less, or R = Phenyl or Alkyl substituted phenyl, R' = H or Alkyl C7 or less, or OR' consisting of Carboxylic acid ester, Sulfate, Phosphate, Nitrate, or Sulfonate, listed under Chemical Category N230)

• As indicated above, this product contains an ingredient(s) subject to the reporting requirements of SARA Title III, Section 313 (40 CFR Part 372). This document constitutes the notification required by the SARA regulations and this notification statement must not be detached from the SDS. If the SDS is copied for any reason, including distribution, this notice must also be copied and accompany all redistributed SDS's. Failure to do so may subject you to penalties under law.

U.S. State Regulations**California Proposition 65**

This product does not contain any Proposition 65 chemicals.

U.S. State Right-to-Know Regulations

Poly(ethylene glycol) methyl ether methacrylate 26915-72-0	
New Jersey Right to Know List	sn 3138
Pennsylvania Right to Know List	Environmental hazard

16. OTHER INFORMATION

NFPA Rating	Health - 1	Flammability - 1	Instability - 1	Special Hazard -
HMIS Rating	Health - 1	Flammability - 1	Physical hazards - 1	Personal protection - B
Product code	556953			
Revision date	2021-Jan-26			
Revision number	1.03			

Additional information

BISOMER® is a registered trademark of GEO Specialty Chemicals UK Ltd.

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet